DRAFT NOV 06 1990

CERCLIS IDENTIFICATION NUMBER	
STATE: NJ	SITE NUMBER: D001771614

SITE LOCATION

SITE NAME: Legal, common or descriptive name of site: KURT VERSEN COMPANY

STREET ADDRESS, ROUTE or SPECIFIC LOCATION IDENTIFIER: 10 CHARLES STREET

CITY	STATE	ZIP CODE	TELEPHONE
WESTWOOD BOROUGH	NJ	07675	(201) 664-2800

COORDINATES: LATITUDE and LONGITUDE	TOWNSHIP, RANGE, and SECTION
40° 58' 53" 74° 01' 02"	WESTWOOD BOROUGH

OWNER/OPERATOR IDENTIFICATION

OWNER	OPERATOR
RICHARD ANSFIELD	SAME AS ABOVE
OWNER ADDRESS: YANTACHAW BROOK ROAD	OPERATOR ADDRESS:
CITY: MONTCLAIR	CITY:
STATE: NJ / ZIP CODE: 07042 / TELEPHONE: ( )	STATE: / ZIP CODE: / TELEPHONE: ( )

TYPE OF OWNERSHIP

- [x] PRIVATE
- [ ] FEDERAL: Agency name _____
- [ ] STATE
- [ ] COUNTY
- [ ] MUNICIPAL
- [ ] OTHER: _____
- [ ] NOT SPECIFIED

OWNER/OPERATOR NOTIFICATION ON FILE

- [x] NONE
- [ ] CERCLA 103 C, UNCONTROLLED WASTE SITE DATE: _____
- [ ] RCRA 3001 DATE: _____

SITE STATUS

- [x] ACTIVE
- [ ] INACTIVE
- [ ] UNKNOWN

YEARS OF OPERATION

BEGINNING YEAR: 1964

ENDING YEAR: _____

- [ ] UNKNOWN

APPROXIMATE SIZE OF SITE

6.5 ACRES

SITE EVALUATION

AGENCY / ORGANIZATION	NJDEP/OHWM/BPA
INVESTIGATOR	MICHAEL DIGIORE
CONTACT	KENNETH J. KLOO
ADDRESS	300 HORIZON CENTER, CN407, TRENTON, NJ 08625-0407
TELEPHONE	(609) 584-4280
DATE	7/9/91

235362

NOV 0 6 1990

GENERAL INFORMATION

KURT VERSEN COMPANY

Site Description and Operational History:

The KURT VERSEN COMPANY IS A 6.5 ACRE SITE. THE COMPANY MANUFACTURES ALUMINUM INDUSTRIAL LIGHT FIXTURES. PLANT PROCESSES INCLUDE ACID BATHS (PHOSPHORIC, NITRIC AND SULFURIC) AND METAL PLATING AND PAINTING OF PARTS.

IN 1981 THE COMPANY HAD A DISCHARGE OF UNTREATED SEWAGE AND INDUSTRIAL WASTEWATER INTO A TRIBUTARY OF THE ORADELL RESERVOIR VIA A BROKEN SANITARY SEWER LINE OWNED BY KURT VERSEN. THE SEWER LINE WAS REPLACED; THEREBY, CEASING THE DISCHARGE AND CONTAMINATED SLUDGE AND WATER WAS REMOVED FROM THE SITE.

IN 1985 THE COMPANY WAS DISCHARGING COMPRESSOR COOLING WASTEWATER OBTAINED FROM AN ON-SITE WELL INTO THE TRIBUTARY. THIS DISCHARGE WAS RE-ROUTED TO THE SANITARY SEWER. SAMPLING OF THE WASTEWATER IN 1985 REVEALED VOLATILE ORGANIC COMPOUND (VOC) CONTAMINATION IN THE ON-SITE WELL. KURT VERSEN MAINTAINS THAT THEY DO NOT USE ANY VOCS IN THEIR PROCESS; THEREFORE, THERE MUST BE ANOTHER SOURCE FOR THE CONTAMINATION.

Probable Contaminants of Concern:

(Previous investigations; analytical data)

GROUNDWATER SAMPLES COLLECTED IN 1985, 1986, 1987 AND 1990 REVEALED A VARIETY OF VOCS INCLUDING 1,2-dichloroethane, tetrachloroethane, toluene and trichloromethane. Petroleum hydrocarbons (PHCs) and METALS were also detected.

Site Name: KURT VERENCO
Date: JULY 9, 1991

PA TABLE 3: VALUES FOR SECONDARY SURFACE WATER TARGET POPULATIONS

Surface Water Body Flow Characteristics (see PA Table 4)	Population	Nearest Intake (choose highest)	Population Served by Intakes Within Flow Category											Population Value
			1 to 30	31 to 100	101 to 300	301 to 1,000	1,001 to 3,000	3,001 to 10,000	10,001 to 30,000	30,001 to 100,000	100,001 to 300,000	300,001 to 1,000,000	1,000,001 to 3,000,000	
<10 cfs	_____	20	2	5	16	52	163	521	1,633	5,214	16,325	52,136	163,248	_____
10 to 100 cfs	_____	2	1	1	2	5	16	52	163	521	1,633	5,214	16,325	_____
>100 to 1,000 cfs	_____	1	0	0	1	1	2	5	16	52	163	521	1,633	_____
>1,000 to 10,000 cfs	700,000	0	0	0	0	0	1	1	2	5	16	(52)	163	52
>10,000 cfs or Great Lakes	_____	0	0	0	0	0	0	0	1	1	2	5	16	_____
3-mile Mixing Zone	_____	10	1	3	8	26	82	261	816	2,607	8,162	26,068	81,663	_____
Nearest Intake =		0											Score =	52

PA TABLE 4: SURFACE WATER TYPE / FLOW CHARACTERISTICS WITH DILUTION WEIGHTS FOR SECONDARY SURFACE WATER SENSITIVE ENVIRONMENTS

Type of Surface Water Body			Dilution Weight
Water Body Type	OR	Flow Characteristics	
minimal stream		flow less than 10 cfs	1
small to moderate stream		flow 10 to 100 cfs	0.1
moderate to large stream		flow greater than 100 to 1,000 cfs	N/A
large stream to river		flow greater than 1,000 to 10,000 cfs	N/A
large river		flow greater than 10,000 cfs	N/A
3-mile mixing zone of quiet flowing streams or rivers		flow 10 cfs or greater	N/A
coastal tidal water (harbors, sounds, bays, etc.), ocean, or Great Lakes		N/A	N/A

DRAFT

NOV 06 1990

Date: July 9, 1991

SURFACE WATER PATHWAY (continued)
HUMAN FOOD CHAIN THREAT SCORESHEET

LIKELIHOOD OF RELEASE		A Suspected Release	B No Suspected Release	References
Enter the Surface Water Likelihood of Release score from page 12.	LR_1 =	[550]	[500,400,300 or 100] 100	

HUMAN FOOD CHAIN THREAT TARGETS

8. Determine the water body types and flows (if applicable) for all fisheries within the 15-mile target distance limit. If there are no fisheries within the target distance limit, assign a Targets score of 0 at the bottom of this page and proceed to page 15.

Fishery Name	Water Body Type	Flow
_____	_____	_____ cfs
_____	_____	_____ cfs
_____	_____	_____ cfs
_____	_____	_____ cfs
_____	_____	_____ cfs

9. PRIMARY FISHERIES: If you suspect any fishery listed above has been exposed to hazardous substances from the site (see Surface Water Criteria List, page 11), assign a score of 300 and do not evaluate Factor 10. List the Primary Fisheries:

_____, _____,

_____, _____.

[300 or 0]

10. SECONDARY FISHERIES: If you have not identified any Primary Fisheries, assign a Secondary Fisheries score from the table below using the LOWEST flow at any fishery within the 15-mile target distance limit.

Lowest Flow	Secondary Fisheries Score
< 10 cfs	210
10 to 100 cfs	30
> 100 cfs, coastal tidal waters, oceans, or Great Lakes	12

[210,30,12 or 0] | [210,30,12, or 0] 12

	T =	[300,210,30,12 or 0]	[210,30,12 or 0] 12

NOV 06 1990

SURFACE WATER PATHWAY (continued)
ENVIRONMENTAL THREAT SCORESHEET

JULY 9, 1991

	A	B	
LIKELIHOOD OF RELEASE	*Suspected Release*	*No Suspected Release*	*References*
Enter the Surface Water Likelihood of Release score from page 12. LR =	[550]	[500, 400, 300 or 100] 100	

ENVIRONMENTAL THREAT TARGETS

11. Determine the water body types and flows (if applicable) for all surface water sensitive environments within the 15-mile target distance limit (see PA Tables 4 and 5). If there are no sensitive environments within the 15-mile target distance limit, assign a Targets score of 0 at the bottom of this page, and proceed to page 17.

Environment Name	*Water Body Type*	*Flow*
		cfs
		cfs
		cfs
		cfs
		cfs

12. PRIMARY SENSITIVE ENVIRONMENTS: If you suspect any sensitive environment listed above has been exposed to hazardous substances from the site (see Surface Water Criteria List, page 11), assign a score of 300 and do not evaluate Factor 13. List the Primary Sensitive Environments:

_____, _____,

_____, _____.

[300 or 0]

13. SECONDARY SENSITIVE ENVIRONMENTS:

A. For Secondary Sensitive Environments on surface water bodies with flows of 100 cfs or less, assign scores as follows, and do not evaluate part B of this factor:

Flow	*Dilution Weight (PA Table 4)*	*Environment Type and Value (PA Tables 5 and 6)*	*Total*
cfs	x	=	
cfs	x	=	
cfs	x	=	
cfs	x	=	
cfs	x	=	

Sum =

B. If NO Secondary Sensitive Environments are located on surface water bodies with flows of 100 cfs or less, assign a score of 10.

[10 or 0] [10 or 0] 10

T = 10

DRAFT

NOV 06 1990

Site Name: KURT VEIRSLD
Date: JULY 9/1991

PA TABLE 5: SURFACE WATER AND AIR SENSITIVE ENVIRONMENTS VALUES

Sensitive Environment	*Assigned Value*
Critical habitat for Federally designated endangered or threatened species	100
Marine Sanctuary	
National Park	
Designated Federal Wilderness Area	
Ecologically important areas identified under the Coastal Zone Wilderness Act	
Sensitive Areas identified under the National Estuary Program or Near Coastal Water Program of the Clean Water Act	
Critical Areas Identified under the Clean Lakes Program of the Clean Water Act (subareas in lakes or entire small lakes)	
National Monument	
National Seashore Recreation Area	
National Lakeshore Recreation Area	
Habitat known to be used by Federally designated or proposed endangered or threatened species	75
National Preserve	
National or State Wildlife Refuge	
Unit of Coastal Barrier Resources System	
Federal land designated for the protection of natural ecosystems	
Administratively Proposed Federal Wilderness Area	
Spawning areas critical for the maintenance of fish/shellfish species within a river system, bay or estuary	
Migratory pathways and feeding areas critical for the maintenance of anadromous fish species in a river system	
Terrestrial areas utilized by large or dense aggregations of vertebrate animals (semi-aquatic foragers) for breeding	
National river reach designated as recreational	
Habitat known to be used by State designated endangered or threatened species	50
Habitat known to be used by a species under review as to its Federal endangered or threatened status	
Coastal Barrier (partially developed)	
Federally designated Scenic or Wild River	
State land designated for wildlife or game management	25
State designated Scenic or Wild River	
State designated Natural Area	
Particular areas, relatively small in size, important to maintenance of unique biotic communities	
State designated areas for the protection/maintenance of aquatic life under the Clean Water Act	5
Wetlands	See PA Table 6 (Surface Water Pathway) or PA Table 9 (Air Pathway)

PA TABLE 6: SURFACE WATER WETLANDS FRONTAGE VALUES

Total Length of Wetlands	*Assigned Value*
Less than 0.1 mile	0
0.1 to 1 mile	25
Greater than 1 to 2 miles	50
Greater than 2 to 3 miles	75
Greater than 3 to 4 miles	100
Greater than 4 to 8 miles	150
Greater than 8 to 12 miles	250
Greater than 12 to 16 miles	350
Greater than 16 to 20 miles	450
Greater than 20 miles	500

DRAFT

NOV 06 1990

Date: July 9, 1991

SURFACE WATER PATHWAY (concluded)

WASTE CHARACTERISTICS, THREAT, AND PATHWAY SCORE SUMMARY

WASTE CHARACTERISTICS	A *Suspected Release*	B *No Suspected Release*
14. A. If you have identified ANY Primary Targets for surface water (pages 12, 14, or 15), assign the waste characteristics score calculated on page 4, or a score of 32, whichever is GREATER; do not evaluate part B of this factor.	[100 or 32]	
B. If you have NOT identified any Primary Targets for surface water, assign the waste characteristics score calculated on page 4.	[100, 32, or 18]	[100, 32, or 18] 18
WC =		18

SURFACE WATER PATHWAY THREAT SCORES

Threat	*Likelihood of Release (LR) Score (from page 12)*	*Targets (T) Score*	*Pathway Waste Characteristics (WC) Score (determined above)*	*Threat Score LR x T x WC / 82,500*
Drinking Water	100	57	18	[subject to a maximum of 100] 1.24
Human Food Chain	100	12	18	[subject to a maximum of 100] 0.262
Environmental	100	10	18	[subject to a maximum of 60] 0.218

SURFACE WATER PATHWAY SCORE
(Drinking Water Threat + Human Food Chain Threat + Environmental Threat)

[subject to a maximum of 100] 1.72

SOIL EXPOSURE PATHWAY CRITERIA LIST

Site Name: KNT Vessel
Date: July 9, 1991

This chart provides guidelines to assist you in hypothesizing the presence of a resident population. It is expected that not all of this information will be available during the PA. Also, these criteria are not all-inclusive; list any other criteria you use to hypothesize resident populations. This chart will record your professional judgment in evaluating this factor.

Use the resident population section to guide you through evaluation of some site and source conditions that will help identify targets likely to be exposed to hazardous substances. You may use this section of the chart more than once, depending on the number of nearby people you feel may be considered part of a resident population. Record the responses for the resident population target that you feel has the highest probability of being exposed to hazardous substances.

Check the boxes to indicate a "yes", "no", or "unknown" answer to each question.

SOIL EXPOSURE PATHWAY				
SUSPECTED CONTAMINATION	*RESIDENT POPULATION*			
	Yes	No	Unknown	
Surficial contamination is assumed.	☐	☑	☐	Are there residences, schools, or day care facilities on or within 200 feet of areas of suspected contamination?
	☐	☑	☐	Are residences, schools, or day care facilities located on adjacent land previously owned or leased by the site owner/operator?
	☐	☑	☐	Is there an overland migration route that might spread hazardous substances near residences, schools, or day care facilities?
	☐	☑	☐	Are there any reports of adverse health effects from onsite or adjacent residents or students, exclusive of apparent drinking water or air contamination problems?
	☐	☑	☐	Does any offsite property warrant sampling?
	☐	☑		Other criteria? _____
	☐	☑		RESIDENT POPULATION IDENTIFIED?

Summarize the rationale for resident population (attach an additional page if necessary):

DRAFT

NOV 0 6 1990

Site Name: KENT URBANIZED

Date: JULY 9, 1991

SOIL EXPOSURE PATHWAY SCORESHEET

Pathway Characteristics	
Do any people live on or within 200 ft of areas of suspected contamination?	Yes ___ No ✓
Do any people attend school or day care on or within 200 ft of areas of suspected contamination?	Yes ___ No ✓
Is the facility active? Yes ✓ No ___ If yes, estimate the number of workers: 15	

		A Suspected Contamination	B No Suspected Contamination	References
LIKELIHOOD OF EXPOSURE				
1. SUSPECTED CONTAMINATION: Surficial contamination is assumed. A score of 550 is assigned.	LE =	[550] 550		
RESIDENT POPULATION THREAT TARGETS				
2. RESIDENT POPULATION: Determine the number of people occupying residences or attending school or day care on or within 200 feet of areas of suspected contamination (see Soil Exposure Pathway Criteria List, page 18). 0 people x 10 =		0		
3. RESIDENT INDIVIDUAL: If you have identified any Resident Population (Factor 2), assign a score of 50; otherwise, assign a score of 0.		[50 or 0] 0		
4. WORKERS: Assign a score from the following table based on the total number of workers at the facility and nearby facilities with suspected contamination:		[15, 10, 5, or 0] 5		
5. TERRESTRIAL SENSITIVE ENVIRONMENTS: Assign a value from PA Table 7 for each terrestrial sensitive environment that is located on an area of suspected contamination:	Sum =	0		
6. RESOURCES: A score of 5 is assigned.		[5] 5		
	T =	10		
WASTE CHARACTERISTICS				
7. Assign the waste characteristics score calculated on page 4.	WC =	[100, 32, or 18] 18		

Number of Workers	Score
0	0
1 to 100	5
101 to 1,000	10
>1,000	15

Terrestrial Sensitive Environment Type	Value

RESIDENT POPULATION THREAT SCORE: $\frac{LE \times T \times WC}{82{,}500}$ = [subject to a maximum of 100] 1.2

NEARBY POPULATION THREAT SCORE: *Assign a score of 2* = 2

SOIL EXPOSURE PATHWAY SCORE: Resident Population Threat + Nearby Population Threat = [subject to a maximum of 100] 2.2

DRAFT

NOV 06 1990

JULY 9, 1991

PA TABLE 7: SOIL EXPOSURE PATHWAY
TERRESTRIAL SENSITIVE ENVIRONMENT VALUES

Terrestrial Sensitive Environment	*Assigned Value*
Terrestrial critical habitat for Federally designated endangered or threatened species National Park Designated Federal Wilderness Area National Monument	100
Terrestrial habitat known to be used by Federally designated or proposed threatened or endangered species National Preserve (terrestrial) National or State terrestrial Wildlife Refuge Federal land designated for protection of natural ecosystems Administratively proposed Federal Wilderness Area Terrestrial areas utilized by large or dense aggregations of animals (vertebrate species) for breeding	75
Terrestrial habitat used by State designated endangered or threatened species Terrestrial habitat used by species under review for Federally designated endangered or threatened status	50
State lands designated for wildlife or game management State designated Natural Areas Particular areas, relatively small in size, important to maintenance of unique biotic communities	25

DRAFT NOT 00 1330

AIR PATHWAY CRITERIA LIST

Site Name: KURT VERSLUIS
Date: JULY 9, 1991

This chart provides guidelines to assist you in hypothesizing the presence of a suspected release. It is expected that not all of this information will be available during the PA. Also, these criteria are not all-inclusive; list any other criteria you use to hypothesize a suspected release. This chart will record your professional judgment in evaluating this factor.

The "Suspected Release" section of the chart guides you through evaluation of some conditions to help hypothesize whether a release from the site is likely. For the Air Pathway, if a release is suspected, "Primary Targets" are any residents, workers, students, or sensitive environments within ¼ mile of the site.

Check the boxes to indicate a "yes", "no", or "unknown" answer to each question. If you check the "Suspected Release" box as "yes", make sure that you assign a Likelihood of Release value of 550 for the pathway.

AIR PATHWAY	
SUSPECTED RELEASE	*PRIMARY TARGETS*
Yes / No / Unknown	
☐ ☑ ☐ Have odors been reported?	*If you suspect a release to air, evaluate all populations and sensitive environments within ¼ mile (including those onsite) as Primary Targets.*
☐ ☑ ☐ Has a release of hazardous substances to the air been directly observed?	
☐ ☑ ☐ Are there any reports of adverse health effects (e.g., headaches, nauses, dizziness) potentially resulting from migration of hazardous substances through the air?	
☐ ☑ ☐ Is there any circumstantial evidence of an air release?	
☐ ☑ Other criteria? _____	
☐ ☑ SUSPECTED RELEASE?	

Summarize the rationale for suspected release (attach an additional page if necessary):

NOV 06 1990

AIR PATHWAY SCORESHEET

JULY 9, 1991

Pathway Characteristics	
Do you suspect a release (see Air Pathway Criteria List, page 21)?	Yes ___ No ✓
Distance to the nearest individual:	100 ft

	A Suspected Release	B No Suspected Release	References
LIKELIHOOD OF RELEASE			
1. SUSPECTED RELEASE: If you suspect a release to air (see page 21), assign a score of 550, and use only column A for this pathway.	(550)		
2. NO SUSPECTED RELEASE: If you do not suspect a release to air, assign a score of 500, and use only column B for this pathway.		(500) 500	
LR =		500	
TARGETS			
3. PRIMARY TARGET POPULATION: Determine the number of people subject to exposure from a release of hazardous substances through the air (see Air Pathway Criteria List, page 21). ____ people x 10 =			
4. SECONDARY TARGET POPULATION: Determine the number of people within the 4-mile target distance limit, and assign the total population score from PA Table 8.		78	
5. NEAREST INDIVIDUAL: If you have identified any Primary Targets for the air pathway, assign a score of 50; otherwise, assign the highest Nearest Individual score from PA Table 8.	(50, 20, 7, 2, 1, or 0)	(20, 7, 2, 1, or 0) 20	
6. PRIMARY SENSITIVE ENVIRONMENTS: Sum the sensitive environment values (PA Table 5) and wetland acreage values (PA Table 9) for environments subject to exposure from air hazardous substances (see Air Pathway Criteria List, page 21).			
Sensitive Environment Type / Value: ____ / ____; ____ / ____			
Sum =			
7. SECONDARY SENSITIVE ENVIRONMENTS: Use PA Table 10 to determine the score for secondary sensitive environments.		0	
8. RESOURCES: A score of 5 is assigned.	(5) 5	(5) 5	
T =		103	
WASTE CHARACTERISTICS			
9. A. If you have identified any Primary Targets for the air pathway, assign the waste characteristics score calculated on page 4, or a score of 32, whichever is GREATER; do not evaluate part B of this factor.	(100 or 32)		
B. If you have NOT identified any Primary Targets for the air pathway, assign the waste characteristics score calculated on page 4.	(100, 32, or 18)	(100, 32, or 18) 18	
WC =		18	

AIR PATHWAY SCORE: $\frac{LR \times T \times WC}{82{,}500}$

(subject to a maximum of 100) **11.2**

Site Name: KIRTLAND CO
Date: JULY 9, 1991

DRAFT NOV 06 1990

PA TABLE 8: VALUES FOR SECONDARY AIR TARGET POPULATIONS

Distance from Site	Population	Nearest Individual (choose highest)	Population Within Distance Category: 1 to 10	11 to 30	31 to 100	101 to 300	301 to 1,000	1,001 to 3,000	3,001 to 10,000	10,001 to 30,000	30,001 to 100,000	100,001 to 300,000	300,001 to 1,000,000	1,000,001 to 3,000,000	Population Value
Onsite	15	20	1	(2)	5	16	52	163	521	1,633	5,214	16,325	52,136	163,246	2
>0 to ¼ mile	1000	20	1	1	1	4	(13)	41	130	408	1,303	4,081	13,034	40,811	13
> ¼ to ½ mile	2292	2	0	0	1	1	3	9	(28)	88	282	882	2,815	8,815	28
> ½ to 1 mile	6990	1	0	0	0	1	1	3	(8)	26	83	261	834	2,612	8
> 1 to 2 miles	24,339	0	0	0	0	0	1	1	3	(8)	27	83	266	833	8
> 2 to 3 miles	56,021	0	0	0	0	0	1	1	1	4	(12)	38	120	376	12
> 3 to 4 miles	77,915	0	0	0	0	0	0	1	1	2	(7)	23	73	229	7
Nearest Individual =		20												Score =	78

PA TABLE 9: AIR PATHWAY VALUES FOR WETLAND AREA

Wetland Area	Assigned Value
Less than 1 acre	0
1 to 50 acres	25
Greater than 50 to 100 acres	75
Greater than 100 to 150 acres	125
Greater than 150 to 200 acres	175
Greater than 200 to 300 acres	250
Greater than 300 to 400 acres	350
Greater than 400 to 500 acres	450
Greater than 500 acres	500

PA TABLE 10: DISTANCE WEIGHTS AND CALCULATIONS FOR AIR PATHWAY SECONDARY SENSITIVE ENVIRONMENTS

Distance	Distance Weight	Sensitive Environment Type and Value (from PA Table 5 or 9)	Product
Onsite	0.10	x	0
		x	
0-1/4 mi	0.025	x	0
		x	
		x	
1/4-1/2mi	0.0054	x	0
		x	
		x	
		x	
Total Environments Score =			0

SITE SCORE CALCULATION

JULY 9, 1991

	S	S^2
GROUND WATER PATHWAY SCORE (S_{gw}):	56.5	3192.3
SURFACE WATER PATHWAY SCORE (S_{sw}):	1.72	2.56
SOIL EXPOSURE PATHWAY SCORE (S_{se}):	2.2	4.84
AIR PATHWAY SCORE (S_a):	11.2	125.4
SITE SCORE: $\sqrt{\frac{S_{gw}^2+S_{sw}^2+S_{se}^2+S_a^2}{4}}$ =		28.8

RECOMMENDATION

SUMMARY

	YES	NO
1. Is there a high possibility of a threat to nearby drinking water wells by migration of hazardous substances in ground water?	☐	☑
A. If yes, identify the wells recommended for sampling during the SI.		
B. If yes, how many people are served by these threatened wells?		
2. Are any of the following suspected to have been exposed to hazardous substances through surface water migration from the site?		
A. Drinking water intake	☐	☑
B. Fishery	☐	☑
C. Sensitive environment: wetland, critical habitat, others	☐	☑
D. If yes, identify the targets recommended for sampling during the SI.		
3. Do people reside or attend school or day care on or within 200 ft of any area of suspected contamination?	☐	☑
4. Are there public health concerns at this site that are not addressed by PA scoring considerations? If yes, explain:	☐	☑

SURFACE WATER PATHWAY CRITERIA LIST

Site Name: KNEI WARREN CO
Date: JULY 9, 1991

This chart provides guidelines to assist you in hypothesizing the presence of a suspected release and identifying primary targets. It is expected that not all of this information will be available during the PA. Also, these criteria are not all-inclusive; list any other criteria you use to hypothesize a suspected release or to identify primary targets. This chart will record your professional judgment in evaluating these factors.

The "Suspected Release" section of the chart guides you through evaluation of some site, source, and pathway conditions to help hypothesize whether a release from the site is likely. If a release is suspected, use the "Primary Targets" section to guide you through evaluation of some conditions that will help identify targets likely to be exposed to hazardous substances. You may use this section of the chart more than once, depending on the number of targets you feel may be considered "primary." In the "Primary Targets" section on this sheet, record the responses for the target that you feel has the highest probability of being exposed to hazardous substances.

Check the boxes to indicate a "yes", "no", or "unknown" answer to each question. If you check the "Suspected Release" box as "yes", make sure that you assign a Likelihood of Release value of 550 for the pathway.

SURFACE WATER PATHWAY

SUSPECTED RELEASE

Yes	No	Unknown	
☑	☐	☐	Is surface water nearby?
☐	☑	☐	Is waste quantity particularly large?
☐	☑	☐	Is the drainage area large?
☐	☐	☑	Is precipitation heavy or infiltration rate low?
☐	☐	☑	Are sources poorly contained or prone to runoff or flooding?
☑	☐	☐	Is a runoff route well defined (e.g., ditch or channel leading to surface water)?
☐	☐	☑	Is vegetation stressed along the probable runoff path?
☐	☐	☑	Are suspected contaminants highly persistent in surface water?
☐	☐	☑	Are sediments/water unnaturally discolored?
☐	☐	☑	Is wildlife unnaturally absent?
☐	☑	☐	Has deposition of waste into surface water been observed?
☐	☐	☑	Is ground water discharge to surface water likely?
☐	☑	☐	Is there any circumstantial evidence of surface water contamination?
☐	☐		Other criteria? _____
☐	☑		SUSPECTED RELEASE?

PRIMARY TARGETS

Yes	No	Unknown	
☐	☑	☐	Is any target nearby? If yes:
			☐ Drinking-water intake
			☐ Fishery
			☐ Sensitive environment
☐	☐	☑	Has an intake, fishery, or recreational area been closed?
☐	☐	☑	Is there any circumstantial evidence of surface water contamination at or downstream of a target?
☐	☑	☐	Does any target warrant sampling? If yes:
			☐ Drinking-water intake
			☐ Fishery
			☐ Sensitive environment
☐	☐		Other criteria? _____
☐	☑		PRIMARY INTAKE(S) IDENTIFIED?
☐	☑		PRIMARY FISHERY IDENTIFIED?
☐	☑		PRIMARY SENSITIVE ENVIRONMENT(S) IDENTIFIED?

Summarize the rationale for suspected release (attach an additional page if necessary):

Summarize the rationale for Primary Targets (attach an additional page if necessary):

NOV 06 1990

SURFACE WATER PATHWAY JULY 9, 1991
LIKELIHOOD OF RELEASE AND DRINKING WATER THREAT SCORESHEET

Pathway Characteristics	
Do you suspect a release (see Surface Water Pathway Criteria List, page 11)?	Yes ___ No ✓
Distance to surface water:	5,220 ft
Flood Frequency:	>500 yrs
What is the downstream distance to the nearest drinking-water intake? 2 miles	
nearest fishery? 1 miles nearest sensitive environment? 1 miles	

	A Suspected Release	B No Suspected Release	References
LIKELIHOOD OF RELEASE			
1. SUSPECTED RELEASE: If you suspect a release to surface water (see page 11), assign a score of 550, and use only column A for this pathway.	[550]		
2. NO SUSPECTED RELEASE: If you do not suspect a release to surface water, and the distance to surface water is 2,500 feet or less, assign a score of 500; otherwise, assign a score from the table below. Use only column B for this pathway.		[500, 400, 300 or 100] 100	
LR =	[550]	[500, 400, 300 or 100] 100	

Floodplain	Score
Site in annual or 10-yr floodplain	500
Site in 100-yr floodplain	400
Site in 500-yr floodplain	300
Site outside 500-yr floodplain	100

DRINKING WATER THREAT TARGETS

3. Determine the water body types, flows (if applicable), and number of people served by all drinking-water intakes within the 15-mile target distance limit. If there are no drinking-water intakes within the target distance limit, assign a total Targets score of 5 at the bottom of this page (Resources only) and proceed to page 14.

Intake Name	Water Body Type	Flow	People Served
ORADell	Reservoir	1,900 cfs	350,000
Hackensack	River	1,000 cfs	350,000
		cfs	

4. PRIMARY TARGET POPULATION: If you suspect any drinking-water intake listed above has been exposed to hazardous substances from the site (see Surface Water Pathway Criteria List, page 11), list the intake name(s) and calculate the factor score based on the number of people served.

_____, _____

_____ people x 10 =

5. SECONDARY TARGET POPULATION: Determine the Secondary Target Population score from PA Table 3 based on the populations using drinking-water from intakes that you do NOT suspect have been exposed to hazardous substances from the site.

Are any intakes part of a blended system? Yes ✓ No ___
If yes, attach a page to show apportionment calculations.

6. NEAREST INTAKE: If you have identified any Primary Targets for the drinking water threat (Factor 4), assign a score of 50; otherwise, assign the Nearest Intake score from PA Table 3. If no drinking-water intake exists within the 15-mile target distance limit, assign a score of zero.

7. RESOURCES: A score of 5 is assigned.

		52 Ø	
	[50, 20, 10, 2, 1, or 0]	[20, 10, 2, 1, or 0] 0 ~~5~~ 2	
	[5] 5	[5] 5	
T =		57	

NOV 06 1990

SURFACE WATER PATHWAY
MIGRATION ROUTE SKETCH

JULY 9, 1991

Provide a Sketch of the Surface Water Migration Route:
(include runoff route, probable point of entry, 15-mile target distance limit, intakes, fisheries, and sensitive environments)



The ORADELL RESERVOIR and the HACKENSACK RIVER are both used for fishing

Site Name: KNIT Verl
Date: JULY 1999

NOV 03 1999

PA TABLE 2: VALUES FOR SECONDARY GROUND WATER TARGET POPULATIONS

PA Table 2a: Non-Karst Aquifers

Distance from Site	Population	Nearest Well (choose highest)	Population Served by Wells Within Distance Category: 1 to 10	11 to 30	31 to 100	101 to 300	301 to 1,000	1,001 to 3,000	3,001 to 10,000	10,001 to 30,000	30,001 to 100,000	100,001 to 300,000	Population Value
0 to ¼ mile	0	20	1	2	5	16	52	163	521	1,633	5,214	16,325	0
> ¼ to ½ mile	28	(18)	1	(1)	3	10	32	101	323	1,012	3,233	10,121	1
> ½ to 1 mile	13	9	1	(1)	2	5	17	52	167	522	1,668	5,224	1
> 1 to 2 miles	14,452	5	1	1	1	3	9	29	94	(294)	939	2,938	294
> 2 to 3 miles	2,048	3	1	1	1	2	7	(21)	68	212	678	2,122	21
> 3 to 4 miles	14,296	2	1	1	1	1	4	13	42	(131)	417	1,306	131
Nearest Well =		18										Score =	-448,

PA Table 2b: Karst Aquifers

Distance from Site	Population	Nearest Well (use 20 for karst)	Population Served by Wells Within Distance Category: 1 to 10	11 to 30	31 to 100	101 to 300	301 to 1,000	1,001 to 3,000	3,001 to 10,000	10,001 to 30,000	30,001 to 100,000	100,001 to 300,000	Population Value
0 to ¼ mile		20	1	2	5	16	52	163	521	1,633	5,214	16,325	
> ¼ to ½ mile		20	1	1	3	10	32	101	323	1,012	3,233	10,121	
> ½ to 1 mile		20	1	1	3	8	26	82	261	816	2,607	8,162	
> 1 to 2 miles		20	1	1	3	8	26	82	261	816	2,607	8,162	
> 2 to 3 miles		20	1	1	3	8	26	82	261	816	2,607	8,162	
> 3 to 4 miles		20	1	1	3	8	26	82	261	816	2,607	8,162	
Nearest Well =												Score =	

DRAFT NOV 00 1990

GROUND WATER PATHWAY CRITERIA LIST

Site Name: KNIT WEAR CO.
Date: JULY 9, 1991

This chart provides guidelines to assist you in hypothesizing the presence of a suspected release and identifying primary targets. It is expected that not all of this information will be available during the PA. Also, these criteria are not all-inclusive; list any other criteria you use to hypothesize a suspected release or to identify primary targets. This chart will record your professional judgment in evaluating these factors.

The "Suspected Release" section of the chart guides you through evaluation of some site, source, and pathway conditions to help hypothesize whether a release from the site is likely. If a release is suspected, use the "Primary Targets" section to guide you through evaluation of some conditions that will help identify targets likely to be exposed to hazardous substances. You may use this section of the chart more than once, depending on the number of targets you feel may be considered "primary." In the "Primary Targets" section on this sheet, record the responses for the well that you feel has the highest probability of being exposed to hazardous substances.

Check the boxes to indicate a "yes", "no", or "unknown" answer to each question. If you check the "Suspected Release" box as "yes", make sure that you assign a Likelihood of Release value of 550 for the pathway.

GROUND WATER PATHWAY

SUSPECTED RELEASE

Yes	No	Unknown	
☐	☐	☒	Are sources poorly contained?
☐	☐	☒	Is the source a type likely to contribute to ground water contamination (e.g., wet lagoon)?
☐	☐	☒	Is waste quantity particularly large?
☒	☐	☐	Is precipitation heavy and infiltration rate high?
☐	☒	☐	Is the site located in an area of karst terrain?
☒	☐	☐	Is the subsurface highly permeable or conductive?
☒	☐	☐	Is drinking water drawn from a shallow aquifer?
☒	☐	☐	Are suspected contaminants highly mobile in ground water?
☒	☐	☐	Does any circumstantial evidence of ground water or drinking water contamination exist?
☐	☐		Other criteria? _____
☒	☐		SUSPECTED RELEASE?

PRIMARY TARGETS

Yes	No	Unknown	
☒	☐	☐	Is any drinking-water well nearby?
☐	☐	☑	Is any nearby drinking-water well closed?
☐	☐	☒	Has foul-tasting or foul-smelling water been reported by any nearby drinking-water users?
☐	☐	☒	Do any nearby wells have a large drawdown or high production rate?
☐	☐	☒	Are drinking-water wells located between the site and other wells that are suspected to be exposed to hazardous substances?
☒	☐	☐	Does any circumstantial evidence of ground water or drinking water contamination exist?
☐	☒	☐	Does any drinking-water well warrant sampling?
☐	☐		Other criteria? _____
☐	☑		PRIMARY TARGET(S) IDENTIFIED?

Summarize the rationale for suspected release (attach an additional page if necessary):
GROUNDWATER SAMPLES OBTAINED FROM 1985-1990 HAVE DOCUMENTED VOC CONTAMINATION

Summarize the rationale for Primary Targets (attach an additional page if necessary):
NO DRINKING WATER WELLS LOCATED WITHIN 1/4 MILE OF THE SITE.

DRAFT
NOV 06 1990

Date: July 9, 1991

GROUND WATER PATHWAY SCORESHEET

Pathway Characteristics	
Do you suspect a release (see Ground Water Pathway Criteria List, page 7)?	Yes ✓ No ___
Is the site located in karst terrain?	Yes ___ No ✓
Depth to aquifer:	425 ft
Distance to the nearest drinking-water well:	___ ft

	A Suspected Release	B No Suspected Release	References
LIKELIHOOD OF RELEASE			
1. SUSPECTED RELEASE: If you suspect a release to ground water (see page 7), assign a score of 550, and use only column A for this pathway.	[550] 550		
2. NO SUSPECTED RELEASE: If you do not suspect a release to ground water, and the site is in karst terrain or the depth to aquifer is 70 feet or less, assign a score of 500; otherwise, assign a score of 340. Use only column B for this pathway.		[500 or 340]	
LR =	550		
TARGETS			
3. PRIMARY TARGET POPULATION: Determine the number of people served by drinking water from wells that you suspect have been exposed to hazardous substances from the site (see Ground Water Pathway Criteria List, page 7). 0 people x 10 =	0		
4. SECONDARY TARGET POPULATION: Determine the number of people served by drinking water from wells that you do NOT suspect have been exposed to hazardous substances from the site, and assign the total population score from PA Table 2. Are any wells part of a blended system? Yes ✓ No ___ If yes, attach a page to show apportionment calculations.	448		
5. NEAREST WELL: If you have identified any Primary Targets for ground water, assign a score of 50; otherwise, assign the highest Nearest Well score from PA Table 2. If no drinking-water wells exist within 4 miles, assign a score of zero.	[50, 20, 18, 9, 6, 3, 2, or 0] 18	[20, 18, 9, 5, 3, 2, or 0]	
6. WELLHEAD PROTECTION AREA (WHPA): Assign a score of 20 if any portion of a designated WHPA is within ¼ mile of the site; assign 5 if from ¼ to 4 miles.	[20, 5, or 0] 0	[20, 5, or 0]	
7. RESOURCES: A score of 5 is assigned.	[5] 5	[5] 5	
T =	471		
WASTE CHARACTERISTICS			
8. A. If you have identified any Primary Targets for ground water, assign the waste characteristics score calculated on page 4, or a score of 32, whichever is GREATER; do not evaluate part B of this factor.	[100 or 32]		
B. If you have NOT identified any Primary Targets for ground water, assign the waste characteristics score calculated on page 4.	[100, 32, or 18] 18	[100, 32, or 18]	
WC =	18		

GROUND WATER PATHWAY SCORE: $\frac{LR \times T \times WC}{82{,}500}$ = [Equivalent to a maximum of 100] 56.5

JULY 9, 1991

HACKENSACK WATER COMPANY

Well/Intake	% TOTAL POPULATION	APPORTIONED POPULATION
1	1	7,157
2	1	7,157
1	49	350,709
2	49	350,709

Ridgewood water Dept - 48 wells serving 60,100 people. no one well is more than 40% of total capacity.

$\frac{60,100}{48}$ = 1,252 people/well

Private Wells

0-1/4 mile = 0 wells
1/4-1/2 " = 11 " x2.54 people/house = 28
1/2-1 " = 5 " " " " " = 13
1-2 " = 55 " " " " " = 138
2-3 " = 14 " " " " " = 36
3-4 " = 3 " " " " " = 8

NOV 06 1990

JULY 9, 1991

GROUND WATER PATHWAY
GROUND WATER USE DESCRIPTION

Describe Ground Water Use Within 4-miles of the Site:
(Provide generalized stratigraphy; information on aquifers, municipal, and or private wells)

The site is located in the Brunswick formation which consists mainly of red shale rocks of Triassic age believed to be approximately 6,000 feet thick. Overlying the consolidated rocks of the Brunswick formation are glacial stratified drift deposits. Recharge to the Brunswick formation is from precipitation infiltrating through the overburden. Public supply wells tapping the stratified drift overburden range in depth from 34 to 36 feet while those tapping the Brunswick formation range in depth from 254 to 665 feet. The majority of public supply wells tap the deeper Brunswick aquifer. The Brunswick formation also serves as the major source of water for private wells.

Show calculations of ground water drinking water populations:

Public Supply Wells

Park Ridge – 16 wells servint 16,100 people
No one well contributes more than 40% of total system output.

$\frac{16,100}{16}$ = 1006 people/well

Waldwick Water Dept – 6 wells serving 10,344 people.
No one well more than 40%. $\frac{10,344}{6}$ = 1,724 people/well

Hackensack Water Company – 2 surface water intakes located within 2-3 miles from the site and 2 wells both 1.3 miles from the site serving 700,000 people.

See Attached

DRAFT

NOV 06 1990

Date: July 9, 1991

PA TABLE 1: WASTE CHARACTERISTICS (WC) SCORES

PA Table 1a: WC Scores for Single Source Sites and Formulas for Multiple Source Sites

TIER	SOURCE TYPE	SINGLE SOURCE SITES (assigned WC scores)			MULTIPLE SOURCE SITES
		WC = 18	*WC = 32*	*WC = 100*	Formula for Assigning Source WQ Values
CONSTITUENT	N/A	≤100 lbs	>100 to 10,000 lbs	>10,000 lbs	*lbs ÷ 1*
WASTESTREAM	N/A	≤500,000 lbs	>500,000 to 50 million lbs	>50 million lbs	*lbs ÷ 5,000*
VOLUME	Landfill	≤6.75 million ft^3 ≤250,000 yd^3	>6.75 million ft^3 to 675 million ft^3 >250,000 to 25 million yd^3	>675 million ft^3 >25 million yd^3	*ft^3 ÷ 67,500* *yd^3 ÷ 2,500*
	Surface impoundment	≤6,750 ft^3 ≤250 yd^3	>6,750 ft^3 to 675,000 ft^3 >250 to 25,000 yd^3	>675,000 ft^3 >25,000 yd^3	*ft^3 ÷ 67.5* *yd^3 ÷ 2.5*
	Drums	≤1,000 drums	>1,000 to 100,000 drums	>100,000 drums	*drums ÷ 10*
	Tanks and non-drum containers	≤50,000 gallons	>50,000 to 5 million gallons	>5 million gallons	*gallons ÷ 500*
	Contaminated soil	≤6.75 million ft^3 ≤250,000 yd^3	>6.75 million ft^3 to 675 million ft^3 >250,000 to 25 million yd^3	>675 million ft^3 >25 million yd^3	*ft^3 ÷ 67,500* *yd^3 ÷ 2,500*
	Pile	≤6,750 ft^3 ≤250 yd^3	>6,750 ft^3 to 675,000 ft^3 >250 to 25,000 yd^3	>675,000 ft^3 >25,000 yd^3	*ft^3 ÷ 67.5* *yd^3 ÷ 2.5*
AREA	Landfill	≤340,000 ft^2 ≤7.8 acres	>340,000 to 34 million ft^2 >7.8 to 780 acres	>34 million ft^2 >780 acres	*ft^2 ÷ 3,400* *acres ÷ 0.078*
	Surface impoundment	≤1,300 ft^2 ≤0.029 acres	>1,300 to 130,000 ft^2 >0.029 to 2.9 acres	>130,000 ft^2 >2.9 acres	*ft^2 ÷ 13* *acres ÷ 0.00029*
	Contaminated soil	≤3.4 million ft^2 ≤78 acres	>3.4 million to 340 million ft^2 >78 to 7,800 acres	>340 million ft^2 >7,800 acres	*ft^2 ÷ 34,000* *acres ÷ 0.78*
	Pile*	≤1,300 ft^2 ≤0.029 acres	>1,300 to 130,000 ft^2 >0.029 to 2.9 acres	>130,000 ft^2 >2.9 acres	*ft^2 ÷ 13* *acres ÷ 0.00029*
	Land treatment	≤27,000 ft^2 ≤0.62 acres	>27,000 to 2.7 million ft^2 >0.62 to 62 acres	>2.7 million ft^2 >62 acres	*ft^2 ÷ 270* *acres ÷ 0.0062*

1 ton = 2,000 lbs = 1 yd^3 = 4 drums = 200 gallons

* Use area of land surface under pile, not surface area of pile.

PA Table 1b: WC Scores for Multiple Source Sites

WQ Total	*WC Score*
>0 to 100	18
>100 to 10,000	32
>10,000	100

NOV 06 1990

Date: JULY 9, 1991

GENERAL INFORMATION (continued)

Source Descriptions:

WASTEWATER DISCHARGE
OBSERVED IN 1981 AND 1985

DRUMS: APPROXIMATELY 6, CONTAINING WASTE OIL ARE STORED INSIDE THE FACILITY

Waste Characteristics (WC) Calculations:
(See PA Table 1, page 5)

DRUMS: $WQ = \frac{6}{10} = 0.6 =$

WASTEWATER DISCHARGE: 11,000 GALLONS = 110,000 LBS

$\frac{110,000 \text{ LBS}}{5000} = 22 \frac{1}{2} =$

$WQ = 22 + 0.6 = 22.6 = 18$

WC = 18

DRAFT

NOV 06 1990

Date: JULY 9, 1991

GENERAL INFORMATION (continued)

Site Sketch:

(Show all pertinent features; indicate sources and closest targets)



NOT TO SCALE